IDP GCP - OpenID Connect

Instructions

Sign in to your Google Cloud Console:	
https://console.cloud.google.com	
	Google
	Sign in
	to continue to Google Cloud Platform
	Email or phone
	Forgot email?
	Not your computer? Use Guest mode to sign in privately. Learn more
	Create account Next
	English (United States) - Help Privacy Terms
 Click on Select a Project Click on New Project 	
1. Project Name: Choose a Project Name	New Project
2. Organization: Choose your Organization	Project name *
3. Location: Choose your Location	Project ID: your-organization-name. It cannot be changed later EDIT
	Organization *
	YourOrgainzationDomain.com
	Select an organization to attach it to a project. This selection can't be changed later.
	YourOrgainzationDomain.com BROWSE
	Parent organization or folder
	CREATE CANCEL

APIS & Services	\equiv Google Cloud Plat	form 🔹 My OpenID Connect Project 👻 🔍
1. Click on OAuth consent screen 2. User type:	API APIs & Services	OAuth consent screen
Choose Internal 3. Click on Create	Oashboard Hit Library	Choose how you want to configure and register your app, including your target users. You can only associate one app with your project.
	ov Credentials	User Type
	UAuth consent screen	Internal
	Domain verification	submit your app for verification. Learn more
	= ₀ Page usage agreements	Availing to any test user with a Google Account. Your app will start in testing mode and will only be available to users you add to the list of test users. Once your app is ready to push to production, you may need to verify your app. Learn more
		CREATE
		Let us know what you think about our OAuth experience
 App name: Name the application as you wish (e.g. "Inova") User support email: Enter your email address 		m 🕻 My OpeniD Connect Project 👻 🔍 Search proc
	RPI APIs & Services	Edit app registration
	Dashboard	● OAuth consent screen — ② Scopes — ③ Summary
	o+ Credentials	App information
	OAuth consent screen	This shows in the consent screen, and helps end users know who you are and contact you
	age usage agreements	
		The name of the app asking for consent Sysadmin email address For users to contact you with questions about their consent App logo BROWSE Updad an image not larger than 1MB on the consent screen that will help users recognize ver area Meased image formate are JRD. BMD and BME Lonce schwidt be course and
		120px by 120px for the best results.
1. Developer contact information:		♣ My OpenID Connect Project
2. Click on Save and Continue	RPI APIs & Services	Edit app registration
	· Dashboard 표 Library	App logo BROWSE Upload an image, not larger than 1MB on the consent screen that will help users recognize your app. Allowed image formats are JPR, PNO, and BMP. Logos should be square and 120pts by 120pt on the best result.
	Credentials	
	Domain verification	App domain
	\equiv_0 Page usage agreements	Authorized Domains. The following information will be shown to your users on the consent screen. Application home page
		Provide users a link to your home page Application privacy policy link
		Provide users a link to your public privacy policy
		Application terms of service link Provide users a link to your public terms of service
		Authorized domains
		When a domain is used on the consent screen or in an OAuth client's configuration, it must be pre-regatered here. If your app needs to go through verification, please go to the <u>Google Search</u> <u>Conseds</u> to hole (fryour domains are submicisted. <u>Lasm</u> much about the <u>authorated domain limit</u> .
		+ ADD DOMAIN
		Developer contact information
		Sysadmin email address
	<1	SAVE AND CONTINUE

 Click on Add or Remove Scopes Check the following scopes: a/auth.userinfo.email b/auth.userinfo.profile c. openid Click on Update 	<complex-block> of outcome outcome Contraction Contrac</complex-block>		
 Click on Credentials Click on OAuth client ID 	E Geogle Cloud Platform > My Openil Connect Paget → Q. Seed approximation RPI APIs & Services Credentials → API key Understand Q Seed approximation Image: Demand with clause API key Understand Credentials to the Understand source Server. Q Seed approximation Q Image: Demand with clause API key Understand Credentials to the Understand source Server. Q Service Account Q Image: Demand with clause API key Understand Service Account Service Account Rest Image: Demand with clause Note April being to depice Understand to the Understand server. Creation date ↓ Rest Image: Demand with clause Note April being to depice Understand to the Understand to t		
 Application type: Select Web application Name: Name the application as you wish (e.g. "Inova") URIs: https://auth.inova-application.com/auth/realms/<realm_name>/broke r/oidc-gcp/endpoint</realm_name> 	Coogle Clock Platform M (greet Downsh Flaget + Q: Specify predicts and removes V PET APis & Services 		
Click on Create IMPORTANT: Please ensure that the domain auth.inova-application.com is whitelisted on your end	The demonstrate of the utility provided intervent of the automatically added to The demonstrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the automatical y added to The constrate of the utility provided intervent of the utility provided int		
Replace <realm_name> by the one provided by Inova.</realm_name>	Proceeded Targeton Units and Second		
 Your Client ID: Copy and note the Client ID Your Client Secret: Copy and note the Client secret 	Copy Claud Patrices Vedentals Ordentals O		
A Make sure that the Inova users are allowed, otherwise they won't be able to sign in to the application.			
Send the elements you noted previously to Inova: 1. Client ID 2. Client secret	<u>⊐</u> ∑ ⊂ înova		