IDP CyberArk Idaptive - OpenID Connect

Instructions

Sign in to your CyberArk Idaptive admin portal	EYBERARK* Sign In Your username (user@domain) Next
 In the App section on the left side menu, click on Web Apps . Click on the Add Web Apps button to add. 	CVBERRER CVBARR CVBARR
 Click on Custom tab Locate the OpenID Connect entry from the list and click on the Add butt on. 	
Click on Yes	<complex-block></complex-block>

Click on Close	
 Application ID: Choose an Application ID as you wish (e.g. "Inova") Name: Name the application as you wish (e.g. "Inova") Click on Save 	
 Click on Trust Client ID: Copy and note the Open ID Connect Client ID Client Secret: Choose a secret and note it Metadata URL: Copy and note the Metadata URL Resource application URL: https:// Authorized Redirect URIs: https://auth.inova-application.com/auth/realms/<realm_name>/broke r/oidc-idaptive/endpoint</realm_name> Click on Save IMPORTANT: Please ensure that the domain auth.inova- application.com is whitelisted on your end Replace <realm_name> by the one provided by Inova.</realm_name> 	 Checked Reserve Textures <
 Click on Permissions Add the desired user group by clicking on Add Click on Save The status should now be Deployed Make sure that the Inova users are added, otherwise they won't be able to sign in to the application. 	
 Client ID Client Secret Metadata URL 	<u>≓</u> ∑ ⊂ înova